CLAIMS

What is claimed is:

1. A method performed by a user terminal of a wireless access network, the method comprising:

obtaining a time reference from an access point of the wireless access network; receiving a digital certificate issued by a certificate authority from the access point, the digital certificate having a validity period;

requesting certification of the time reference by a trusted entity; receiving certification of the time reference; and validating the digital certificate.

- 2. The method of claim 1, wherein requesting certification of the time reference comprises sending a message used to authenticate the user terminal to the access point, the message containing a timestamp based on the time reference and an identification of the trusted entity by which certification is to be performed.
- 3. The method of claim 2, wherein the message contains a list of trusted entities by which certification may be performed.
- 4. The method of claim 2, wherein receiving certification of the time reference comprises receiving a message from the access point, the message being signed by the trusted entity and containing information to verify the timestamp.

- 5. The method of claim 1, wherein requesting certification of the time reference comprises sending a message to the trusted entity, the message containing a timestamp and a request to compare the timestamp to a local time of the trusted entity.
- 6. The method of claim 1, wherein validating the access point comprises determining whether the validity period has expired using the certified time reference.
- 7. The method of claim 1, wherein the time reference comprises an absolute frame number.
- 8. A user terminal comprising:
- a clock to maintain a time reference obtained from an access point;

 a transmitter to send a request for certification of the time reference by a trusted entity;
- a receiver to receive the certification of the time reference and a digital certificate issued by a certificate authority from the access point, the digital certificate having a validity period; and
 - a processor coupled to the receiver to validate the digital certificate.
- 9. The user terminal of claim 8, wherein the user terminal requests certification of the time reference by sending a message used to authenticate the user terminal to the access point, the message containing a timestamp based on the time reference maintained by the clock and an identification of the trusted entity by which certification is to be performed.

- 10. The user terminal of claim 9, wherein the message contains a list of trusted entities by which certification may be performed.
- 11. The user terminal of claim 9, wherein the user terminal receives the certification of the time reference by receiving a message from the access point, the message being signed by the trusted entity and containing information to verify the timestamp.
- 12. The user terminal of claim 8, wherein the user terminal requests certification of the time reference by sending a message to the trusted entity, the message containing a timestamp based on the time reference maintained by the clock and a request to compare the timestamp to a local time of the trusted entity.
- 13. The user terminal of claim 8, wherein the user terminal validates the access point by determining whether the validity period has expired using the certified time reference.
- 14. The user terminal of claim 8, wherein the time reference comprises an absolute frame number.
- 15. A method performed by an access point of a wireless access network, the method comprising:

receiving a message including a timestamp from a user terminal of the wireless access network;

authenticating the user terminal using the message;

sending a request for certification of the timestamp to a trusted entity that is trusted by the user terminal;

I:\ArrayComm\P206 - i-TAP Time Certification\P206 Application.doc

receiving a time certification message signed by the trusted entity including a verification of the timestamp; and

sending the time certification message to the user terminal.

- 16. The method of claim 15, wherein the message further includes a request that the timestamp be certified by the trusted entity and an identification of the trusted entity.
- 17. The method of claim 16, wherein the identification of the trusted entity comprises a list of entities trusted by the user terminal.
- 18. The method of claim 15, wherein sending a request for certification of the timestamp comprises forwarding the timestamp to the trusted entity so that the trusted entity can compare the timestamp to a local time of the trusted entity.
- 19. An access point comprising:

a receiver to receive a message including a timestamp from a user terminal; a processor coupled to the receiver to authenticate the user terminal based on the received message; and

a transmitter coupled to the processor, to send a request for certification of the timestamp to a trusted entity that is trusted by the user terminal, and to forward a certification message received from and signed by the trusted entity, the certification message including a verification of the timestamp.

20. The access point of claim 19, wherein the received message further includes a request that the timestamp be certified by the trusted entity and an identification of the trusted entity.

I:\ArrayComm\P206 - i-TAP Time Certification\P206 Application.doc

- 21. The access point of claim 20, wherein the identification of the trusted entity comprises a list of entities trusted by the user terminal.
- 22. The access point of claim 19, wherein the transmitter further forwards the timestamp to the trusted entity so that the trusted entity can compare the timestamp to a local time of the trusted entity.
- 23. A machine-readable medium storing data representing instructions that, when executed by a processor of a user terminal, cause the processor to perform operations comprising:

obtaining a time reference from an access point;

receiving a digital certificate issued by a certificate authority from the access point, the digital certificate having a validity period;

requesting certification of the time reference by a trusted entity; receiving certification of the time reference; and validating the digital certificate.

- 24. The machine-readable medium of claim 23, wherein requesting certification of the time reference comprises sending a message used to authenticate the user terminal to the access point, the message containing a timestamp based on the time reference and an identification of the trusted entity by which certification is to be performed.
- 25. The machine-readable medium of claim 24, wherein the message contains a list of trusted entities by which certification may be performed.

- 26. The machine-readable medium of claim 24, wherein receiving certification of the time reference comprises receiving a message from the access point, the message being signed by the trusted entity and containing information to verify the timestamp.
- 27. The machine-readable medium of claim 23, wherein requesting certification of the time reference comprises sending a message to the trusted entity, the message containing a timestamp and a request to compare the timestamp to a local time of the trusted entity.
- 28. The machine-readable medium of claim 23, wherein validating the access point comprises determining whether the validity period has expired using the certified time reference.
- 29. The machine-readable medium of claim 23, wherein the time reference comprises an absolute frame number.
- 30. A machine-readable medium storing data representing instructions that, when executed by a processor of an access point, cause the processor to perform operations comprising:

receiving a message including a timestamp from a user terminal; authenticating the user terminal using the message;

sending a request for certification of the timestamp to a trusted entity that is trusted by the user terminal;

receiving a time certification message signed by the trusted entity including a verification of the timestamp; and

sending the time certification message to the user terminal.

I:\ArrayComm\P206 - i-TAP Time Certification\P206 Application.doc

- 31. The machine-readable medium of claim 30, wherein the message further includes a request that the timestamp be certified by the trusted entity and an identification of the trusted entity.
- 32. The machine-readable medium of claim 31, wherein the identification of the trusted entity comprises a list of entities trusted by the user terminal.
- 33. The machine-readable medium of claim 30, wherein sending a request for certification of the timestamp comprises forwarding the timestamp to the trusted entity so that the trusted entity can compare the timestamp to a local time of the trusted entity.